Flexiverse Blue 79, BFD-7979

who can formulate copper free with ease?

you can.

## working for you.





Sun Chemical www.sunchemical.com		globalmarketing@sunchemical.com

Contaminate metal regulations at the national, state, and municipal levels have never been more difficult to navigate. This is especially true for copper in water based ink and coatings applications.

The need to maintain fastness properties while eliminating copper in your effluent and end applications has led to the use of exotic and expensive pigments. Many of these reduce copper only to introduce other contaminants such as molybdenum, selenium and residual solvents.

Flexiverse Blue 79 is formulated APE free and specified to <15 PPM Copper and Molybdenum (EPA 200.7). Sun Chemical's breakthrough aluminum phthalocyanine blue dispersion is the tailor-made solution that delivers superior quality, value and regulatory peace of mind.

Formulated to eliminate copper, Molybdenum and other common contaminates.

Although the information presented here is believed to be reliable, Sun Chemical Corporation makes no representation or guarantee to its accuracy, completeness or reliability of the information. All recommendations and suggestions are made without guarantee, since the conditions of use are beyond our control. There is no implied warranty of merchantability or fitness for purpose of the product or products described herein. In no event shall Sun Chemical Corporation without guarantee, since the conditions of use are beyond our control. There is no implied warranty of merchantability or fitness for purpose of the product or products described herein. In no event shall Sun Chemical Corporation be liable for damages of any nature arising out of the use or reliance upon the information. Sun Chemical Corporation expressly disclaims that the use of any material referenced herein, either alone or in combination with other materials, shall be free of rightful claim of any third party including a claim of infringement. The observance of all legal regulations and patents is the responsibility of the user.

SUNCHEMICAL and FLEXIVERSE are either registered trademarks or trademarks of Sun Chemical Corporation in the United States and/or other countries. DIC is a trademark of DIC Corporation, registered in the United States and/or other countries. Copyright © 2022 Sun Chemical Corporation. All rights reserved.

GB MAR22





Properties				
Physical	Form	Dispersion		
	Dispersion System	Resin		
	Pigment %	31 (+/-3)		
	PH	8.4-9.2		
	Density (lbs/gal)	9.0-13.0		
	Specific Gravity	1.1-1.6		
Chemical Resistance (1-5 Scale)	Acid	5		
	Alkali	5		
	Water	5		
	Ethanol	5		
	Glycols	5		
	Paraffin Wax	5		
	Soap Sandwich	5		
Light fastness (1-8 Scale)	Fulltone	8		
	Tint	8		
Heat fastness (1-5 Scale)	15 min@ 150°C	5		
	30 min@ 150°C	5		